


FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 100 mm						DOOR PANEL UK	
MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick	
L	H	C	H1	C	H1	DW	DH
610	2036	736	2099	760	2111	626	2040
710	2036	836	2099	860	2111	726	2040
810	2036	936	2099	960	2111	826	2040
910	2036	1036	2099	1060	2111	926	2040
1010	2036	1136	2099	1160	2111	1026	2040
594	1977	720	2040	744	2052	610	1981
670	1977	796	2040	820	2052	686	1981
746	1977	872	2040	896	2052	762	1981
822	1977	948	2040	972	2052	838	1981
898	1977	1024	2040	1048	2052	914	1981
695	1977	821	2040	845	2052	711	1981
797	2028	923	2091	947	2103	813	2032
848	2028	974	2091	998	2103	864	2032

Dimensions are given in mm




NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.




ACCESSORIES

- ▶ Self-closing door hinge (for wooden doors only)



FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 125 mm						DOOR PANEL UK	
MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick	
L	H	C	H1	C	H1	DW	DH
610	2036	776	2119	800	2131	626	2040
710	2036	876	2119	900	2131	726	2040
810	2036	976	2119	1000	2131	826	2040
910	2036	1076	2119	1100	2131	926	2040
1010	2036	1176	2119	1200	2131	1026	2040
594	1977	760	2060	784	2072	610	1981
670	1977	836	2060	860	2072	686	1981
746	1977	912	2060	936	2072	762	1981
822	1977	988	2060	1012	2072	838	1981
898	1977	1064	2060	1088	2072	914	1981
695	1977	861	2060	885	2072	711	1981
797	2028	963	2111	987	2123	813	2032
848	2028	1014	2111	1038	2123	864	2032

Dimensions are given in mm




NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.




ACCESSORIES

- ▶ Self-closing door hinge (for wooden doors only)



FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 150 mm						DOOR PANEL UK	
MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick	
L	H	C	H1	C	H1	DW	DH
610	2036	820	2141	842	2152	626	2040
710	2036	920	2141	942	2152	726	2040
810	2036	1020	2141	1042	2152	826	2040
910	2036	1120	2141	1142	2152	926	2040
1010	2036	1220	2141	1242	2152	1026	2040
594	1977	804	2082	826	2093	610	1981
670	1977	880	2082	902	2093	686	1981
746	1977	956	2082	978	2093	762	1981
822	1977	1032	2082	1054	2093	838	1981
898	1977	1108	2082	1130	2093	914	1981
695	1977	905	2082	927	2093	711	1981
797	2028	1007	2133	1029	2144	813	2032
848	2028	1058	2133	1080	2144	864	2032

Dimensions are given in mm



NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.



ACCESSORIES

- ▶ Self-closing door hinge (for wooden doors only)